




PCT/IL03/00968
12 MAY 2003 DEC 2003
10/534533 INVESTOR IN PEOPLE




The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed *Andrew Gersey*

Dated 5 December 2003

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)



19NOV 1997 164233-1 C87658
P01/7700 0-00-0226807.6



The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

request for grant of a patent

See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

Your reference

NAPBIN-10L

Patent application number

(The Patent Office will fill in this part)

15 NOV 2002

0226807.6

Full name, address and postcode of the or of each applicant (underline all surnames)

DERRICK BARKER
19 SANDLES RD
DROITWICH

WORC - WR9-8RA

08246506003

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

Title of the invention

DISPOSABLE NAPPY BIN

Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Patents ADP number (if you know it)

If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

NO

If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

NO

Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

Claim(s)

Abstract

Drawing(s)

17 SHEETS.

2 SHEETS.

If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

abstract included on page 6 of description

I/We request the grant of a patent on the basis of this application.

Signature

Date

13/11/02

Name and daytime telephone number of person to contact in the United Kingdom

07905-796023

During

an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

For

If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.

Write your answers in capital letters using black ink or you may type them.

If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

If you have answered 'Yes' Patents Form 7/77 will need to be filed.

Once you have filled in the form you must remember to sign and date it.

For details of the fee and ways to pay please contact the Patent Office.

DESCRIPTION

The invention describes a device comprising a base container (1) supporting a top wrapping assembly (2). The top wrapping assembly (2) includes two support trays (4) & (5) each containing an individual roll of self-adhering film (3). Adjacent to the rolls of film (3) are two crimping rollers (6) & (7). The film (3) is extracted from each role and manually joined together and then placed in the space between the crimping rollers (6) & (7). The rollers are synchronized and can be rotated by way of a knob (8) through link gears and toothed belt.

The rollers (6) & (7) which can rotate in the opposite directions and towards each other so as to draw the film between the rollers and dispense into the base container (1) below.

The compliant rollers (6) & (7) are constructed in three sections. The section (11) at each end is a firm frictional material with interlocking features. The material grips the film to laminate and crimp it together during the rotation action and seal the edge of the film sheets.

The central area (12) is of a more compliant material allowing the bulky nappy to be drawn through between the rollers.

The rolls of film (3) could also be perforated at intermittent intervals to assist the user terminate the wrapping when the container (1) is full.

By way of a development of the design Fig 5 shows a design of bin where the top assembly comprises of further features developed to optimize the laminating effectiveness and the ergonomics.

The development includes a Lid 13, which supports two ratchet members 15 which move with the lid when opening and closing. During the opening movement the ratchets 15 which engages ratchet wheels at each end of one of the rollers, in this instance the roller being the front roller 7, which freely rotates about the drive gear supporting a series of pawls 18. The pawls 18 are positioned so that they will engage with the tooth form on the inside of the ratchet wheel 17 when rotating in the opposing direction effected by the closing operation of the lid 13. This engagement effects rotation of the compliant roller 7.

The compliant rollers 6 & 7 comprise of a gear form profile 11 at each end, which engage with a matching form on the adjacent roller so as to drive both rollers in synchronization.

An alternative cover 14 is positioned over the Film Rolls 3 and the compliant rollers. Within the cover 14 is provided an aperture 21 through which the product to be laminated is passed at the initiating stage of the lamination. The aperture 21 is positioned so as to optimize the location of the product passing through on the rollers 6 & 7 to achieve optimal lamination and to, if required regulate the size and type of product that can be passed through it.

Below the compliant rollers 6 & 7 are deflection blades 19 & 20 which part as film and the laminated product pass through, then returning to the start position. The deflection blades 19 and 20 prevent the film from picking up wrapping around the compliant rollers 6 & 7, so preventing the device from working

FIG 1 Shows the base container with wrapped nappies and the top wrapping assembly

FIG 2 Shows the device with the rolls of self-adhering film being loaded into the support trays

FIG 3 Shows the device with the ends of the self-adhering film being joined in preparation to wrap the nappy

FIG 4 Shows the nappy being inserted and drawn into the device

FIG 5 Shows an alternative style of bin with a top assembly in the closed condition

FIG 6 Shows the top assembly with the lid open ready to receive the nappy

FIG 7 Shows the underside of the top assembly

FIG 8 Shows the top assembly without the cover over the film rolls and rollers

FIG 9 Shows the underside on the top assembly with the blades (19) & (20) closed

FIG 10 Shows the assembly without the body or frame in particular the ratchet system which drives the rollers

FIG 11 Shows the underside of the assembly with the nappy wrapped having passed through the rollers and the blades in an open condition

FIG 12 Shows a section of the drive gear system

CLAIMS

- 1) A device incorporating two roles of self-adhering film (3) supported in adjacent parallel support trays (4) & (5)
- 2) As described above a device incorporating two adjacent rollers (6) & (7) over and between which the self-adhering film (3) is drawn and laminated
- 3) As described above a device incorporating rollers (6) & (7) for laminating the film
- 4) As described above a device incorporating rollers (6) & (7) for laminating the film, which comprise different sections where the end sections (11) are of an interlocking form that crimp and grip the film and also synchronizing the rotation of the rollers
- 5) As described above a device incorporating rollers for laminating the film, which comprise different sections of differing compliant material allowing the surface and film to comply to the form of the product passing between the rollers so as to maintain a close proximity to the form and shape the product being laminated and to increase the contact and adhesion of the surrounding film and to exclude as much air from within the lamination such that a vacuum effect is created contributing to the resistance of the two sheets of film to be separated
- 6) As described above a device with rollers which are rotated by a separate knob (8) or lever linked by gear or belt
- 7) As described above a set of rollers of which one roller incorporates a drive gear assembly comprising a drive plate 16 housing a pawl 18 which engages in a tooth form within the ratchet wheel 17, when the ratchet wheel 17 is rotated by the ratchet member 15 when moved in one direction but that the ratchet wheel 17 will not engage the pawl 18 when rotating in the opposite direction
- 8) As described above a set of blades 19 & 20 adjacent to the compliant rollers 6 and 7 which prevent the laminated film from sticking to the rollers 6 & 7
- 9) As described above with a cover plate 14 positioned above the rolls of film and the laminating rollers within which is an aperture through which the product to be encapsulated will pass and which directs the product to the optimal positioning on the rollers to achieve best performance of encapsulation
- 10) As described above a lid 13 which supports ratchets 15 which act on the ratchet gear 17 which drive the roller


2nd July 2003
By JM DA


NAPPY BIN PATENT

REF: NAPBIN-10V2

ABSTRACT

The invention relates to nappy bin for disposable of disposable baby nappy's. The particular feature of the invention is that the user can place a disposable soiled nappy onto compliant rollers and the device laminates and wraps the soiled nappy in self adhering film similar to cling film and discharges the sealed nappy into the container below, which will accommodate a quantity of wrapped nappy's.





3. Place the nappy into rollers and turn the rollers with the wheels on either side.

4. To empty the bin remove the top unit and pour nappies into the domestic refuse.






FIG 5.

FIG 6




FIG 7




FIG 8




FIG 9




FIG 10





FIG 11



9 & 10.